myOpenspace - BOX

ENJOY YOUR LIVING SPACE!

my openspace



Phone BOX

A space based on the design of our good old telephone boxes, providing a private space. The myO Phone Box is soundproofed and practical; it unites all the necessary features of lighting, sockets and connections for anyone to retreat in comfort when making a telephone call or participating in a video conference!



Phone BOX my openspace

- 1.0 -

Acoustic insulation:

36 dB

Dn,T,w 36(-2;-4) dB - ISO 140-4 Reverberation time:

0,30 seconds

■ 1 size / 1 configuration ■



2 solid sides 1 glass side on right or left 1 door (opens onto a solid side) 1185 * 1130 mm

■ Layouts ■





Dual flow ventilation

> LED lighting

Multiple sockets Installed 1230mm from the floor

> Shelf Height 1100mm Left or right



ENJOY YOUR LIVING SPACE!



Meeting BOX

A space for work or leisure with a contemporary feel, to accommodate 2 to 5 people in complete confidentiality. The myO Meeting BOX is ideal for encouraging formal and informal meetings, combining all functions and providing a comprehensive 'Box in the Box' solution.





Meeting BOX my openspace

- 1.0 -

Acoustic insulation:

39 dB

Dn,T,w 39(-3;-9) dB - ISO 140-4 Reverberation time: 0,33 seconds

■ 2 sizes / 5 configurations ■

2596 x 2596 mm

1993 x 1993 mm



1 solid side 3 glass sides 1 door



2 solid sides 2 glass sides 1 door



1 solid side 2 solid/glass sides 1 glass side

1 door



3 solid sides 1 glass side



3 'industrial-style' sides with 440mm sections 1 'industrial-style' door

1 door

Meeting BOX



Dual flow ventilation

LED lighting

Multiple sockets Installed 1200mm (table) / 300mm / 820mm from the floor

optional: table

Optional installations for Meeting Boxes:

Table thickness 40mm - ht. 1105mm White melamine with chamfered edges. Shiny white lacquered steel frame


Dimensions:


Box 1993x1993: 1200x500mm Box 2596x2596: 1500x800mm

lacktriangle Examples of layouts lacktriangle


Approximate sizes are given for information only.


2 people 1993 x 1993mm





4 to 5 people 2596 x 2596mm





MUST BE INSTALLED BY A QUALIFIED PROFESSIONAL

Meeting & Phone BOX



* See our sales terms and conditions

Equipements

			meeting BOX 1993 x 1993 mm	meeting BOX 2596 x 2596 mm	phone BOX 1185 * 1130 mm
0	Fitted LED lights with a occupancy sensor		2 4 1 6W - 540 lumens / down-light		
	Dual flow ventilators for efficient air circulation system (intake and extraction)		4 (174 m³/h)	8 (348 m³/h)	2 (87 m³/h)
000	Sockets and connections	With table:	Electrical plug x2 / RJ45 x1 HDMI x1 (if screen max. 28" is present)		Electrical plug x1 RJ45 x1 USB x2
		Without table:	Electrical plug x2 / RJ45 x2		

Finishes

Aluminium frame structure Glass door with aluminium frame, mounted on pivot hinges Width: 930 mm



7016 FTC 9010 BRI



Inside ceiling: microperforated laminate panel



Outside facing (sides/ceiling): melamine faced chipboard panels Inside facing: fabric-upholstered, perforated MDF panel/double glazing



my-Openspace BOXES

Today, successful office fit-outs need to offer diverse types of configurations: it is therefore important to plan spaces to suit all types of activity.

Encouraging communication whilst providing office space confidentiality is a real challenge.

The BOXES are separate, compact, free-standing and soundproof structures; their design is both contemporary and technical to meet your needs and re-energise your space.